

DOC # 0501432
FEES: REC No Fee
REC MGMT
E-COM
AUD

Prepared by: Leland H. Searle, Marshall County Auditor, Courthouse, Marshalltown, Iowa 50158
641/844-2710

C E R T I F I C A T E

MARSHALL COUNTY ORDINANCE #23
CONTROL OF LEAD-BASED PAINT HAZARDS


STATE OF IOWA)
) ss:
COUNTY OF MARSHALL)

I, Leland H. Searle, County Auditor of said County do hereby certify that as
County Auditor, I have in my possession and under my control, the official proceedings
of the Marshall County Board of Supervisors, and that the paper to which this certificate
is attached is a true and correct extract of records pertaining thereto.

- A. Extract of Board of Supervisors' proceedings, Regular Session, December 28, 2004,
First Reading of Proposed Ordinance #23, Control of Lead-Based Paint Hazards and
Set Date for Public Hearing.
- B. Affidavits of Publication, notice of public hearing, published January 13, 2005 in the
Marshalltown Times-Republican and January 6, 2005, in the Mid Iowa Enterprise
Newspapers.
- C. Extract of Board of Supervisors' proceedings, Regular Session, January 11, 2005,
Resolution-Second Reading of Proposed Ordinance #23, Control of Lead-Based Paint
Hazards.
- D. Extract of Board of Supervisors' proceedings, Regular Session, January 25, 2005,
Resolution- Third Reading of Proposed Ordinance #23, Control of Lead-Based
Paint Hazards, and public hearing.

- E. Affidavits of Publication, notice of adoption, published February 1, 2005, in the Marshalltown Times-Republican and February 3, 2005, in Mid Iowa Enterprise Newspapers.

Dated at Marshalltown, Iowa this 8th day of March, 2005.



Leland H. Searle
Marshall County Auditor

**Marshall County Board of Supervisors Proceedings
Regular Session December 28, 2004, at 9:00 a.m.**

The Board met in regular session on December 28, 2004, at 9:00 A.M., in meeting room #2, 3rd Floor, northeast corner of the Courthouse with all members present.

* * *

First Reading of Proposed Ordinance #23, Control of Lead-Based Paint Hazards, and Set Date for Public Hearing— Whereas, after recommendation from the Marshall County Board of Health, the Marshall County Board of Supervisors is considering the adoption of proposed Marshall County Ordinance #23, Control of Lead-Based Paint Hazards.

Now, Therefore, Be It Resolved by the Marshall County Board of Supervisors that this be considered the first reading, by reference, of the proposed Marshall County Ordinance #23, which is Iowa Administrative Code 641, Chapter 68, "Control of Lead-Based Paint Hazards".

Be It Further Resolved, that such Ordinance shall not be effective until a public hearing is held at 9:00 a.m., on the 25th day of January, 2005, with a notice of public hearing published in the Marshalltown Times-Republican and the State Center Enterprise-Record, at least four (4), but not more than twenty (20) days prior to the above date, and the Board adopts, by reference, the third reading of the proposed Lead-Based Paint Hazards Ordinance, and it is published.

Dated at Marshalltown, Iowa this 28th day of December, 2004.

Motion by Goecke, second by Soorholtz, to adopt the first reading of the Ordinance and set the date for the public hearing at 9:00 a.m., on the 25th day of January, 2005.

Roll call vote:	Johnson-Aye	Soorholtz-Aye	Goecke-Aye
	Chairman	Vice Chairman	Member

/s/Gordie Johnson
Gordie Johnson
Board of Supervisors, Chairman

Attest: /s/ Leland H. Searle
Leland H. Searle
Marshall County Auditor

* * *

Adjournment—The next regular meeting is January 3, 2005, 9:00 a.m. All business to be acted upon at that session should be submitted to the County Auditor's Office, or the Board of Supervisors; Office by December 30, 2004, at 1:00 p.m. There being no further business to come before the board, the meeting is adjourned.

/s/Gordie Johnson
Gordie Johnson
Board of Supervisors, Chairman

Attest: /s/ Leland H. Searle
Leland H. Searle
Marshall County Auditor

CHAPTER 68
CONTROL OF LEAD-BASED PAINT HAZARDS

641—68.1(135) Applicability. The provisions of this chapter are applicable in jurisdictions in which a local board has adopted this chapter for the purpose of requiring control of lead-based paint hazards where a child has been identified with an elevated blood lead level. Nothing in this chapter shall be construed as requiring a local board to adopt this chapter as a model regulation.

641—68.2(135) Definitions.

"Certified elevated blood lead (EBL) inspector/risk assessor" means a person who has met the requirements of Iowa Administrative Code 641—70.5(135) for certification or interim certification and who has been certified by the department.

"Chewable surface" means an interior or exterior surface painted with lead-based paint that a young child can mouth or chew.

"Child-occupied facility" means a building, or portion of a building, constructed prior to 1978, visited by the same child under the age of six years on at least two different days within any week (Sunday through Saturday period, provided that each day's visit lasts at least three hours and the combined weekly visits last at least six hours). Child-occupied facilities may include, but are not limited to, day care centers, preschools and kindergarten classrooms.

"Clearance testing" means an activity conducted following interim controls, lead abatement, paint stabilization, standard treatments, ongoing lead-based paint maintenance, or rehabilitation to determine that the hazard reduction activities are complete. Clearance testing includes a visual assessment, the collection and analysis of environmental samples, the interpretation of sampling results, and the preparation of a report.

"Department" means the Iowa department of public health.

"Deteriorated paint" means any interior or exterior paint or other coating that is cracking, flaking, chipping, peeling, or chalking, or any paint or coating located on an interior or exterior surface that is otherwise damaged or separated from the substrate of a building component.

"Dripline" means the area within three feet surrounding the perimeter of a building.

"Dust-lead hazard" means surface dust in residential dwellings or child-occupied facilities that contains a mass-per-area concentration of lead greater than or equal to 40 micrograms per square foot on floors, 250 micrograms per square foot on interior windowsills, and 400 micrograms per square foot on window troughs based on wipe samples. A dust-lead hazard is present in a residential dwelling or child-occupied facility when the weighted arithmetic mean lead loading for all single-surface or composite samples of floors and interior windowsills is greater than or equal to 40 micrograms per square foot on floors, 250 micrograms per square foot on interior windowsills, and 400 micrograms per square foot on window troughs based on wipe samples. A dust-lead hazard is present on floors, interior windowsills, or window troughs in an unsampled residential dwelling in a multifamily dwelling if a dust-lead hazard is present on floors, interior windowsills, or window troughs, respectively, in at least one sampled residential unit on the property. A dust-lead hazard is present on floors, interior windowsills, or window troughs in an unsampled common area in a multifamily dwelling if a dust-lead hazard is present on floors, interior windowsills, or window troughs, respectively, in at least one sampled common area in the same common area group on the property. If dust samples are not taken, it may be assumed that surfaces in rooms with hazardous lead-based paint or where renovation, remodeling, or repainting has occurred recently are dust-lead hazards.

"Elevated blood lead (EBL) child" means any child who has had one venous blood lead level greater than or equal to 20 micrograms per deciliter or at least two venous blood lead levels of 15 to 19 micrograms per deciliter.

"Elevated blood lead (EBL) inspection" means an inspection to determine the sources of lead exposure for an elevated blood lead (EBL) child and the provision within ten working days of a written report explaining the results of the investigation to the property owner and occupant of the residential dwelling or child-occupied facility being inspected and to the parents of the elevated blood lead (EBL) child. A certified elevated blood lead (EBL) inspector/risk assessor shall not determine that a residential dwelling is free of lead-based paint as a result of an elevated blood lead (EBL) inspection.

"Friction surface" means an interior or exterior surface that is subject to abrasion or friction including, but not limited to, certain window, floor, and stair surfaces.

"Hazardous lead-based paint" means lead-based paint that is present on a friction surface where there is evidence of abrasion or where the dust-lead level on the nearest horizontal surface underneath the friction surface (e.g., the windowsill or floor) is equal to or greater than the dust-lead hazard level, lead-based paint that is present on an impact surface that is damaged or otherwise deteriorated from impact, lead-based paint that is present on a chewable surface, or any other deteriorated lead-based paint in any residential building or child-occupied facility or on the exterior of a residential building or child-occupied facility.

"Impact surface" means an interior or exterior surface that is subject to damage by repeated sudden force such as certain parts of doorframes.

"Lead-based paint" means any paint or other surface coatings that contain lead equal to or in excess of 1.0 milligram of lead per square centimeter or more than 0.5 percent by weight. Lead-based paint is present on any surface that is tested and found to contain lead equal to or in excess of 1.0 milligram per square centimeter or more than 0.5 percent by weight and on any surface like a surface tested in the same room equivalent that has a similar painting history and that is found to be lead-based paint.

"Lead-based paint hazard" means hazardous lead-based paint, a dust-lead hazard, or a soil-lead hazard.

"Local board" means the local board of health as authorized by Iowa Code chapter 137.

"Mid-yard" means an area of a residential yard approximately midway between the dripline of a residential building and the nearest property boundary or between the driplines of a residential building and another building on the same property.

"Occupant" means any person living, sleeping, cooking or eating in, or having any actual possession of, a dwelling or dwelling unit.

"Owner" means any person who, alone or jointly with others: (1) has legal title to any dwelling, with or without accompanying actual possession thereof, or (2) has charge, care or control of any dwelling by acting as the agent of the owner or as the executor, administrator, trustee, or guardian of the estate of the owner.

"Paint-lead hazard" means the presence of hazardous lead-based paint in a residential dwelling or a child-occupied facility.

"Play area" means an area of frequent soil contact by children of less than six years of age as indicated by, but not limited to, factors including the following: the presence of play equipment (sandboxes, swing sets, and sliding boards), toys, or other children's possessions; observations of play patterns; or information provided by parents, residents, caregivers, or property owners.

"Residential building" means a building containing one or more residential dwellings.

"Residential dwelling" means (1) a detached single-family dwelling unit, including the surrounding yard, attached structures such as porches and stoops, and detached buildings and structures including, but not limited to, garages, farm buildings, and fences; or (2) a single-family dwelling unit in a structure that contains more than one separate residential dwelling unit, which is used or occupied, or intended to be used or occupied, in whole or part, as the home or residence of one or more persons.

"Retaliation" means harassment, termination of the tenancy, discontinuation of utilities or other services, and any other action taken against the lessee.

"Soil-lead hazard" means bare soil on residential real property or on the property of a child-occupied facility that contains total lead greater than or equal to 400 parts per million for the dripline, mid-yard, and play areas. A soil-lead hazard is present in a dripline, mid-yard, or play area when the soil-lead concentration from a composite sample of bare soil is greater than or equal to 400 parts per million. If soil samples are not taken, it may be assumed that bare soil within three feet of the foundation of a garage or other structure built prior to 1978 is a soil-lead hazard.

641—68.3(135) Elevated blood lead (EBL) inspections required. The local board shall appoint a certified elevated blood lead (EBL) inspector/risk assessor to conduct elevated blood lead (EBL) inspections in residential dwellings and child-occupied facilities where an elevated blood lead (EBL) child lives, visits, or has recently lived. All owners and occupants shall allow access to the residential dwellings and child-occupied facilities that the certified elevated blood lead (EBL) inspector/risk assessor desires to inspect.

641—68.4(135) Refusal of admittance. If the certified elevated blood lead (EBL) inspector/risk assessor appointed by the local board is refused entry to a property, then the certified elevated blood lead (EBL) inspector/risk assessor may make a complaint under oath to any magistrate of the county. The magistrate may issue a warrant directing the owner or occupant to allow the certified elevated blood lead (EBL) inspector/risk assessor to conduct an elevated blood lead (EBL) inspection and directing a peace officer to accompany the certified elevated blood lead (EBL) inspector/risk assessor during the elevated blood lead (EBL) inspection/risk assessment.

641—68.5(135) Lead hazard reduction required.

68.5(1) When the certified elevated blood lead (EBL) inspector/risk assessor appointed by the local board determines that hazardous lead-based paint, a dust-lead hazard, or a soil-lead hazard is present in a residential dwelling unit or child-occupied facility where an elevated blood lead (EBL) child lives, frequently visits, or has recently resided, the certified elevated blood lead inspector/risk assessor shall issue a written notice to the owner within two weeks of the inspection and receipt of any laboratory results. The written notice shall require the owner to complete lead hazard reduction in a time period determined by the certified elevated blood lead (EBL) inspector/risk assessor. If the occupant who occupies the residential dwelling at the time that this written notice is issued vacates the residential dwelling, the residential dwelling shall not be leased or occupied by any other person until the certified elevated blood lead (EBL) inspector/risk assessor issues a written notice that the lead hazard reduction has been completed.

68.5(2) The owner of any residential dwelling or child-occupied facility which has been determined to contain hazardous lead-based paint, a soil-lead hazard, or a dust-lead hazard shall correct these hazards within the time period allowed by the certified elevated blood lead (EBL) inspector/risk assessor in the written notice. The following methods shall be used for lead hazard reduction. These methods shall not require the services of a lead abatement contractor certified in accordance with Iowa Administrative Code 641—70.5(135). However, other local, state, or federal regulations may require the use of a contractor who has completed an eight-hour lead-safe work practices course or a lead abatement contractor or lead abatement worker certified in accordance with Iowa Administrative Code 641—70.5(135).

a. On a surface that contains hazardous lead-based paint, but is not chewable and does not have evidence of impact or friction, the lead-based paint hazard shall be reduced by removing all loose and deteriorated paint from the surface, preparing the surface for repainting, and repainting the surface with a lead-free coating.

b. On a surface that contains hazardous lead-based paint and is chewable or has evidence of impact or friction, the lead-based paint hazard shall be reduced by treating the surface one inch back from the edge or corner through one of the following methods:

(1) All lead-based paint on the treatment area shall be removed to the bare substrate. The surface shall be prepared for repainting and repainted with a lead-free coating.

(2) The treatment area shall be covered with a permanently affixed lead-free material such as plastic, wood, or vinyl. Carpet may be used on floors and stair treads.

c. Dust-lead hazards shall be reduced by thoroughly cleaning the affected surface.

d. Soil-lead hazards shall be reduced by planting grass or groundcover, applying sod, or covering the affected area with six inches of bark, gravel, or other material.

e. Lead hazard reduction shall be conducted using lead-safe work practices to protect the safety of the occupants and workers. Occupants shall not enter the work area while work is underway. The following are prohibited methods of lead hazard reduction:

(1) Open-flame burning or torching of lead-based paint.

(2) Machine sanding or grinding or abrasive blasting or sandblasting of lead-based paint unless used with high-efficiency particulate air (HEPA) exhaust control that removes particles of 0.3 microns or larger from the air at 99.97 percent or greater efficiency.

(3) Uncontained water blasting of lead-based paint.

(4) Dry scraping or dry sanding of lead-based paint except in conjunction with the use of a heat gun or around electrical outlets.

(5) Operating a heat gun at a temperature above 1100 degrees Fahrenheit.

68.5(3) The certified elevated blood lead (EBL) inspector/risk assessor shall inspect all areas identified as hazards after lead hazard reduction is complete. The certified elevated blood lead (EBL) inspector/risk assessor may conduct clearance testing pursuant to Iowa Administrative Code 641—Chapter 70 to ensure that no dust-lead hazards exist after the work is complete. Within two weeks of verifying that all lead hazard reduction has been completed as required, the certified elevated blood lead (EBL) inspector/risk assessor shall issue a written notice to the owner and occupant stating that the lead hazard reduction has been completed and that the repaired surfaces must be maintained in good condition.

641—68.6(135) Retaliation prohibited.

68.6(1) The lessor of a dwelling, the employees of the lessor, and agents or persons acting on behalf of the lessor shall not retaliate against lessees of residential dwellings and child-occupied facilities whose occupants or visitors have been tested for lead poisoning and shall not discourage the occupants or visitors from being tested for lead poisoning.

68.6(2) An action taken against the lessee shall not be considered retaliation if it is supported by reasonable cause unrelated to the testing of an occupant for lead poisoning or if it is shown to have occurred as a result of an accident or mistake and not to be the intentional act of the lessor of a dwelling, the employees of the lessor, or agents or persons acting on behalf of the lessor.

641—68.7(135) Enforcement. The certified elevated blood lead (EBL) inspector/risk assessor appointed by the local board shall have the duty and responsibility of enforcing this chapter.

68.7(1) Penalties shall be as provided in Iowa Code section 137.21.

68.7(2) Upon failure of any person to correct a hazard identified through this chapter in the time specified by the certified elevated blood lead (EBL) inspector/risk assessor appointed by the local board, the local board may direct or cause the correction of said hazards. All expenses incurred thereby may be recovered by suit in the name of the local board, or the local board may certify the amount of said expenses, together with a description of the property, to the county treasurer, who shall enter the same upon the tax books as costs for removing a lead hazard, and said amounts shall be collected as other taxes.

641—68.8(135) Hearings. In the event any person is aggrieved by any order of the certified elevated blood lead (EBL) inspector/risk assessor, the person may appeal to the local board in writing within ten days of the date of such order. The appeal shall state the reasons for requesting such order to be rescinded or modified. The local board shall review the action of the certified elevated blood lead (EBL) inspector/risk assessor. The local board shall order compliance with said order or may, with cause, modify or withdraw said order. Any order of the local board may be appealed within ten days to the district court for the county in which the local board is located.

641—68.9(135) Variances. The elevated blood lead (EBL) inspector/risk assessor may determine that a chewable surface that would otherwise be identified as a hazard by this chapter is not causing or does not have reasonable potential to cause lead exposure and is not required to be corrected through lead hazard reduction. The elevated blood lead (EBL) inspector/risk assessor shall document the reason for this determination in the inspection report. However, the elevated blood lead (EBL) inspector/risk assessor shall not, under any circumstances, determine that any other surface meeting the definition of hazardous lead-based paint does not need to be corrected through lead hazard reduction.

641—68.10(135) Injunction. Nothing in this chapter shall prohibit a local board from pursuing injunctive relief or other relief as allowed by law.

641—68.11(135) Effective date. This chapter shall be in effect in a jurisdiction after a local board adopts it.

These rules are intended to implement Iowa Code section 135.102.

[Filed 7/16/04, Notice 5/26/04—published 8/4/04, effective 9/8/04]

Copy to Susan
2-3-05

Affidavit of Publication

STATE OF IOWA,
Marshall County, ss.

Public Notice

I, Phyliss Troutner, being first duly sworn, on oath depose and say that Marshalltown Newspaper, Inc. is a corporation for pecuniary profit organization under the law of the State of Iowa, with its principal place of business in Marshalltown, Iowa; that the "Times-Republican" is a daily newspaper of general circulation printed wholly in the English language and published by said corporation at the city of Marshalltown, in Marshall County, Iowa; that I am the Office Manager of said corporation and a full time employee of the said newspaper, and have personal knowledge of the facts stated herein; that the Notice hereto attached in the above entitled action was published in the regular daily edition of the said "Times-Republican" once each week for one consecutive weeks on the days and dates as follows, to-wit:

January 13, 2005

Statutory fees for publishing said notice are:


11.94

Phyliss Troutner

Sworn to before me and subscribed in my presence by the said Phyliss Troutner this 13th day of January, 2005.

Darlene Van Kirk

Darlene Van Kirk, Notary Public
Marshall County, Iowa



PUBLIC NOTICE

You are hereby notified, that upon recommendation from the Marshall County Board of Health, the Marshall County Board of Supervisors is considering the adoption of proposed Ordinance No. 23, to the Marshall County Ordinances - Control of Lead-Based Paint Hazards. The Board of Supervisors proposes to adopt, by reference, Iowa Administrative Code 641, Chapter 68, "Control of Lead-Based Paint Hazards".

You are further notified that the Marshall County Board of Supervisors will hold a public hearing thereon at 9:00 a.m. on Tuesday, January 25, 2005, in Meeting Room #2, third floor, northeast corner of the Courthouse, Marshalltown, Iowa. You may submit comments in writing prior to the hearing, or appear to give oral or written comments at the hearing.

Dated at Marshalltown, Iowa, this 28th day of December, 2004.
Leland H. Searle
Marshall County Auditor

4111

FILED
JAN 14 2005

Leland H. Searle
COUNTY AUDITOR

PROOF OF
PUBLICATION OF

Marshall County
Public Notice

Ordinance # 23

STATE OF IOWA)
MARSHALL COUNTY)

John C. Strawn being first duly
sworn on his oath deposes
and states that he is the pub-
lisher of the

MID IOWA ENTERPRISE
a weekly newspaper of gen-
eral circulation, published
wholly in the English language
and printed and published in

State Center, Iowa

which is within the County of
Marshall, and State of Iowa;
and the printed notice hereto
attached is a true copy of the

Notice

and was published in the regu-
lar edition of said newspaper
once each week on the same
day of the week, one publica-
tion thereof being had on each
of the following dates:

Jan. 6, 2005

John C Strawn
Publisher

Fees for publication \$ 10⁰⁰

PUBLIC NOTICE

PUBLIC NOTICE
You are hereby notified, that upon
recommendation from the Marshall County
Board of Health, the Marshall County Board of
Supervisors is considering the adoption of
proposed Ordinance No. 23, to the Marshall
County Ordinances - "Control of Lead-Based
Paint Hazards. The Board of Supervisors
proposes to adopt, by reference, Iowa
Administrative Code 641, Chapter 68, "Control
of Lead-Based Paint Hazards".
You are further notified that the Marshall

County Board of Supervisors will hold a public
hearing thereon at 8:00 a.m. on Tuesday,
January 25, 2005, in Meeting Room #2, third
floor, northeast corner of the Courthouse,
Marshalltown, Iowa. You may submit
comments in writing prior to the hearing, or
appear to give oral or written comments at the
hearing.
Dated at Marshalltown, Iowa, this 28th day
of December, 2004.
Leland H. Seale
Marshall County Auditor

FILED

FEB 08 2005

Sworn to before me and subscribed in my presence
by the said John C. Strawn II this 9th day of

Jan. 2005

Diane M Strawn
Diane M. Strawn, Notary Public
Marshall County, Iowa



Marshall County Board of Supervisors Proceedings
Regular Session January 11, 2005, at 9:00 a.m.

The Board met in regular session on January 11, 2005, at 9:00 a.m., in meeting room #2, 3rd Floor, northeast corner of the Courthouse with three members present.

* * *

Resolution-Second Reading of Proposed Ordinance #23, Control of Lead-Based Paint Hazards-

Whereas, after recommendation from the Marshall County Board of Health, the Marshall County Board of Supervisors is considering the adoption of proposed Ordinance #23, to the Marshall County Ordinances – Control of Lead-Based Paint Hazards. The Board of Supervisors proposes to adopt, by reference, Iowa Administrative Code 641, Chapter 68, “Control of Lead-based Paint Hazards”.

Therefore, Be It Resolved, by the Marshall County Board of Supervisors that this be considered the second reading of the proposed Ordinance #23, Control of Lead-Based Paint Hazards, by reference, Iowa Administrative Code 641, Chapter 68, “Control of Lead-Based Paint Hazards”.

Be It Further Resolved, that such proposed Ordinance #23, shall not be effective until a public hearing is held at 9:00 a.m. on the 25th day of January, 2005, and the Board adopts the third reading of the proposed Ordinance 23, Control of Lead-Based Paint Hazards and it is published. Notice of the public hearing will be published in the Marshalltown Times-Republican Newspaper on January 13, 2005, and the State Center Enterprise-Record on January 6, 2005.

Dated at Marshalltown, Iowa this 11th day of January, 2005.

Motion by Goecke, second by Soorholtz, to adopt this Resolution constituting the second reading of the proposed Ordinance #23, Control of Lead-Based Paint Hazards, by reference.

Roll call vote:	Goecke-Aye	Soorholtz-Aye	Johnson-Aye
	Vice Chairman	Member	Chairman

/s/Gordie Johnson
Gordie Johnson
Board of Supervisors, Chairman

Attest: /s/ Leland H. Searle
Leland H. Searle
Marshall County Auditor

* * *

Adjournment—The next regular meeting is January 25, 2005, 9:00 a.m. All business to be acted upon at that session should be submitted to the County Auditor’s Office, or the Board of Supervisors; Office by January 20, 2005, at 1:00 p.m. There being no further business to come before the board, the meeting is adjourned.

/s/Gordie Johnson
Gordie Johnson

Attest: /s/ Leland H. Searle
Leland H. Searle

**Marshall County Board of Supervisors Proceedings
Regular Session January 25, 2005, at 9:00 a.m.**

The Board met in regular session on January 25, 2005, at 9:00 a.m. in Meeting Room #2, 3rd Floor, northeast corner of the Courthouse with three members present.

* * *

Resolution-Third Reading of Proposed Ordinance #23, Control of Lead-Based Paint Hazards-

Whereas, the Marshall County Board of Supervisors is considering the adoption of proposed Ordinance #23, to the Marshall County Ordinances – Control of Lead-Based Paint Hazards. The Board of Supervisors proposes to adopt, by reference, Iowa Administrative Code 641, Chapter 68, “Control of Lead-based Paint Hazards”.

Therefore, Be It Resolved, by the Marshall County Board of Supervisors that this be considered the third reading of the proposed Ordinance #23, Control of Lead-Based Paint Hazards, by reference, Iowa Administrative Code 641, Chapter 68, “Control of Lead-Based Paint Hazards”.

Notice of public hearing was published in the Marshalltown Times-Republican, Marshalltown, Iowa, on January 13, 2005, and in the Mid Iowa Enterprise, State Center, Iowa, on January 6, 2005. There were no written comments/questions or objections presented and there were five oral comments at the hearing. There being no additional individuals wishing to speak, motion by Goecke, second by Soorholtz, to close the hearing.

Roll call vote:	Soorholtz-Aye	Johnson-Aye	Goecke –Aye
	Member	Chairman	Vice Chairman

Be It Further Resolved that this Ordinance shall become effective after its final passage, approval and publication as provided by law.

Dated at Marshalltown, Iowa this 25th day of January, 2005.

Motion by Goecke, second by Soorholtz, that this constitutes the third reading and the approval of the Ordinance.

Roll call vote:	Soorholtz-Aye	Johnson-Aye	Goecke –Aye
	Member	Chairman	Vice Chairman

* * *

Adjournment—The next regular meeting is February 8, 2005, 9:00 a.m. All business to be acted upon at that session should be submitted to the County Auditor’s Office, or the Board of Supervisors; Office by February 3, 2005, at 1:00 p.m. There being no further business to come before the board, the meeting is adjourned.

/s/Gordie Johnson
Gordie Johnson
Board of Supervisors, Chairman

Attest: /s/ Leland H. Searle
Leland H. Searle
Marshall County Auditor

Affidavit of Publication

STATE OF IOWA,
Marshall County, ss.

FILED

FEB 03 2005

Notice of Adoption of Ordinance

#23

Leland H. Searle
COUNTY AUDITOR

I, Phyliss Troutner, being first duly sworn, on oath depose and say that Marshalltown Newspaper, Inc. is a corporation for pecuniary profit organization under the law of the State of Iowa, with its principal place of business in Marshalltown, Iowa; that the "Times-Republican" is a daily newspaper of general circulation printed wholly in the English language and published by said corporation at the city of Marshalltown, in Marshall County, Iowa; that I am the Office Manager of said corporation and a full time employee of the said newspaper, and have personal knowledge of the facts stated herein; that the Notice hereto attached in the above entitled action was published in the regular daily edition of the said "Times-Republican" once each week for one consecutive weeks on the days and dates as follows, to-wit:

February 1, 2005

Statutory fees for publishing said notice are:

10.07

Phyliss Troutner

Sworn to before me and subscribed in my presence by the said Phyliss Troutner
this 2nd day of February, 2005.

Darlene Van Kirk

Darlene Van Kirk, Notary Public
Marshall County, Iowa

PUBLIC NOTICE NOTICE OF ADOPTION OF ORDINANCE #23 CONTROL OF LEAD-BASED PAINT HAZARDS

TO WHOM IT MAY CONCERN;

You are hereby notified, that on January 25, 2005, the Marshall County Board of Supervisors adopted, by reference, the third and final reading of proposed Ordinance #23, Control of Lead-Based Paint Hazards, which is Iowa Administrative Code 641, Chapter 68.

The purpose of this Ordinance is to require control of lead-based paint hazards where a child has been identified with an elevated blood lead level.

This Ordinance shall be in effect after final passage, approval and publication.

Dated at Marshalltown, Iowa this 25th day of January, 2005
Leland H. Searle
Marshall County Auditor

-4147



PROOF OF
PUBLICATION OF

Marshall County

Notice of Adoption

Ord. # 23

STATE OF IOWA)
MARSHALL COUNTY)

John C. Strawn being first duly
sworn on his oath deposes
and states that he is the pub-
lisher of the

MID IOWA ENTERPRISE
a weekly newspaper of gen-
eral circulation, published
wholly in the English language
and printed and published in

State Center, Iowa

which is within the County of
Marshall, and State of Iowa;
and the printed notice hereto
attached is a true copy of the

Notice

and was published in the regu-
lar edition of said newspaper
once each week on the same
day of the week, one publica-
tion thereof being had on each
of the following dates:

2-3-05

John C Strawn

Publisher

Fees for publication \$ 10⁰⁰

PUBLIC NOTICE

PUBLIC NOTICE
NOTICE OF ADOPTION OF
ORDINANCE #23
CONTROL OF LEAD-BASED PAINT
HAZARDS

TO WHOM IT MAY CONCERN;

You are hereby notified, that on January 25,
2005, the Marshall County Board of
Supervisors adopted, by reference, the third
and final reading of proposed Ordinance #23,
Control of Lead-Based Paint Hazards, which is

Iowa Administrative Code 641, Chapter 68.

The purpose of this Ordinance is to require
control of lead-based paint hazards where a
child has been identified with an elevated
blood lead level.

This Ordinance shall be in effect after final
passage, approval and publication.

Dated at Marshalltown, Iowa this 25th day
of January, 2005.

Leland H. Searle
Marshall County Auditor

Sworn to before me and subscribed in my presence
by the said John C. Strawn II this 4th day of
Feb., 2005.

Diane M Strawn

Diane M. Strawn, Notary Public
Marshall County, Iowa



DIANE M. STRAWN
Commission Number 709381
MY COMMISSION EXPIRES
APRIL 12, 2007